NSN 4720-00-003-5375

Cross Sectional Shape:

Round

Thread Class: 3b 1st end

Thread Direction:
Right-hand 1st end
Inside Diameter:

Between 0.500 inches and 0.525 inches

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-003-5375

Tempurature Rating:						
-65.0 degrees fahrenheit single response and 350.0 degrees fahrenheit single response						
Outside Diameter:						
0.780 inches						
Minimum Inside Bending Radius:						
1.000 inches						
Connection Style:						
Swivel nut, flareless 1st end						
End Connection Design:						
Straight 1st end						
Connection Type:						
Threaded internal tube 1st end						
Features Provided:						
Electrostatic discharge capability						
Burst Test Pressure:						
800.0 pounds per square inch						
Layer Composition And Location:						
Outer layer braided corrosion resistant steel wire						
Maximum Operating Pressure:						
200.0 pounds per square inch						
Thread Size:						
0.750 inches 1st end						
Seat Angle:						
12.0 degrees 1st end						
Hydrostatic Test Pressure:						
400.0 pounds per square inch						
Outer Covering Environmental Protection:						
Corrosion resistant						
Inside Surface Condition:						
Convoluted						
Measuring Method And Length:						
16.500 inches working						
Thread Series Designator:						
Unjf 1st end						

NSN 4720-00-003-5375

Nonmetallic Hose Assembly - Page 2 of 2



_					
٠.	n	_	I+	18	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0