## NSN 4720-00-005-7439

50.250 inches

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-005-7439

Cross Sectional Shape:		
Round		
Thread Class:		
2b 1st end		
Thread Direction:		
Right-hand 1st end		
Inside Diameter:		
0.406 inches		
Tempurature Rating:		
-40.0 degrees fahrenheit and 300.0 degrees fahrenheit single response		
Outside Diameter:		
0.715 inches		
Minimum Inside Bending Radius:		
1.750 inches		
Exterior Color:		
Black		
Connection Style:		
Swivel nut flare 1st end		
End Connection Design:		
Straight 1st end		
Connection Type:		
Threaded internal tube 1st end		
Features Provided:		
Reusable end fittings		
Burst Test Pressure:		
4000.0 pounds per square inch		
Layer Composition And Location:		
2nd layer braided steel wire and outer layer braided fabric and 1st layer braided fabric		
Maximum Operating Pressure:		
1000.0 pounds per square inch		
Thread Size:		
0.750 inches 1st end		
Seat Angle:		
30.0 degrees 1st end		
Hydrostatic Test Pressure:		
2000.0 pounds per square inch		
Outer Covering Environmental Protection:		
Age resistant and oil resistant		
Inside Surface Condition:		
Smooth		
Measuring Method And Length:		

## NSN 4720-00-005-7439

Nonmetallic Hose Assembly - Page 2 of 2



Thread	Series	Designator:
--------	--------	-------------

Unf 1st end

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A542a0