

View Online at <https://aerobasegroup.com/nsn/4720-00-005-7449>

Cross Sectional Shape:

Round

Inside Diameter:

0.500 inches

Bolt Circle Diameter:

2.378 inches 2nd end

Flange Thickness:

0.495 inches 2nd end

Outside Diameter:

0.969 inches

Inner Conveying Tube Style:

Annular close-pitch corrugated

Exterior Color:

Natural

Bolt Hole Quantity:

4 2nd end

Flange Outside Diameter:

3.535 inches 2nd end

Connection Style:

Raised 2nd end

Bolt Hole Diameter:

0.575 inches 2nd end

Raised Face Height:

0.155 inches 2nd end

Raised Face Diameter:

1.380 inches 2nd end

End Flange Construction:

Solid 2nd end

End Connection Design:

Straight 1st end

Connection Type:

Raised face flange 2nd end

Burst Test Pressure:

400.0 pounds per square inch

Layer Composition And Location:

Outer layer braided corrosion resistant steel wire

Maximum Operating Pressure:

100.0 pounds per square inch

Hydrostatic Test Pressure:

200.0 pounds per square inch

Flow Angle:

90.0 degrees 2nd end

Outer Covering Environmental Protection:

Corrosion resistant

Measuring Method And Length:

30.500 inches

Flange Style:

Round w/ bolt holes 2nd end

Special Features:

1 piece of hose 11.280 in. Lg, 1 piece of hose 13.090 in. Lg, with a 90.0 degrees elbow centrally located

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A542a0