

View Online at <https://aerobasegroup.com/nsn/4720-00-006-3552>

Cross Sectional Shape:

Round

Thread Class:

3b 1st end

Thread Direction:

Right-hand 1st end

Inside Diameter:

0.438 inches

Temperature Rating:

-40.0 degrees fahrenheit single response and 200.0 degrees fahrenheit single response

Flange Thickness:

0.800 inches 2nd end

Outside Diameter:

0.625 inches

Minimum Inside Bending Radius:

1.750 inches

Exterior Color:

Green

Connection Style:

Swivel nut with compression sleeve 1st end

Bolt Hole Diameter:

0.650 inches 2nd end

End Connection Design:

Straight 1st end

Connection Type:

Unthreaded fluid passage bolt 2nd end

Features Provided:

Nuts drilled for lockwire

Burst Test Pressure:

600.0 pounds per square inch

Layer Composition And Location:

Outer layer braided synthetic cord

Maximum Operating Pressure:

150.0 pounds per square inch

Thread Size:

0.625 inches 1st end

Seat Angle:

12.0 degrees 1st end

Hydrostatic Test Pressure:

300.0 pounds per square inch

Inside Surface Condition:

Smooth

Measuring Method And Length:

12.500 inches

Media For Which Designed:

Air single response

Thread Series Designator:

Unf 1st end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0