NSN 4720-00-006-6154

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-006-6154

g
Cross Sectional Shape:
Round
Inside Diameter:
0.750 inches
Tempurature Rating:
-40.0 degrees fahrenheit and 200.0 degrees fahrenheit single response
Flange Thickness:
0.275 inches 2nd end
Outside Diameter:
1.210 inches
Minimum Inside Bending Radius:
5.000 inches
Exterior Color:
Black
Angle Between Rigid Elbow Fittings In Deg:
90.0
Flange Outside Diameter:
1.500 inches 2nd end
Connection Style:
Plain w/ gasket groove (sae flanged head) 2nd end
End Flange Construction:
Solid 2nd end
End Connection Design:
Elbow 2nd end
Connection Type:
Plain face flange 2nd end
Burst Test Pressure:
5000.0 pounds per square inch
Layer Composition And Location:
Outer layer spirally wrapped rubber fabric and 1st layer braided steel wire
Maximum Operating Pressure:
1250.0 pounds per square inch
Hydrostatic Test Pressure:
2500.0 pounds per square inch
Flow Angle:
90.0 degrees 2nd end
Inside Surface Condition:
Smooth
Measuring Method And Length:
26.000 inches working

Flange Style:

Round w/ out bolt holes 2nd end

NSN 4720-00-006-6154

Nonmetallic Hose Assembly - Page 2 of 2



Me	dia	For	Which	Design	ed:

Fuel/oil, hydrocarbon single response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0