

View Online at <https://aerobasegroup.com/nsn/4720-00-006-6158>

Cross Sectional Shape:

Round

Inside Diameter:

0.500 inches

Temperature Rating:

-40.0 degrees fahrenheit and 200.0 degrees fahrenheit single response

Flange Thickness:

0.270 inches 2nd end

Outside Diameter:

0.922 inches

Minimum Inside Bending Radius:

7.000 inches

Exterior Color:

Black

Angle Between Rigid Elbow Fittings In Deg:

90.0

Flange Outside Diameter:

1.500 inches 1st end

Connection Style:

Plain w/ gasket groove (sae flanged head) 2nd end

End Flange Construction:

Solid 2nd end

End Connection Design:

Elbow 2nd end

Connection Type:

Plain face flange 2nd end

Burst Test Pressure:

8000.0 pounds per square inch

Layer Composition And Location:

2nd layer braided cotton cord and outer layer spirally wrapped rubber fabric and 1st layer braided steel wire

Maximum Operating Pressure:

2000.0 pounds per square inch

Flow Angle:

67.5 degrees 2nd end

Outer Covering Environmental Protection:

Cold resistant and oil resistant

Inside Surface Condition:

Smooth

Measuring Method And Length:

37.000 inches working

Flange Style:

Round w/ out bolt holes 2nd end

Media For Which Designed:

Fuel/oil, hydrocarbon single response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0