NSN 4720-00-019-0243

Cross Sectional Shape:

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-019-0243

Round					
Thread Class:					
3b 1st end					
Thread Direction:					
Right-hand 1st end					
Inside Diameter:					
0.250 inches					
Tempurature Rating:					
-65.0 degrees fahrenheit single response and 250.0 degrees fahrenheit single response					
Minimum Inside Bending Radius:					
2.000 inches					
Connection Style:					
Swivel nut flare 2nd end					
End Connection Design:					
Straight 1st end					
Connection Type:					
Threaded internal tube 1st end					
Burst Test Pressure:					
6000.0 pounds per square inch					
Layer Composition And Location:					
Outer layer braided corrosion resistant steel wire					
Maximum Operating Pressure:					
1000.0 pounds per square inch					
Thread Size:					
0.438 inches 1st end					
Seat Angle:					
37.0 degrees 2nd end					
Hydrostatic Test Pressure:					
3000.0 pounds per square inch					
Flow Angle:					
45.0 degrees 2nd end					
Inside Surface Condition:					
Smooth					
Measuring Method And Length:					
19.500 inches working					
Media For Which Designed:					
Fuel/oil, hydrocarbon single response					
Thread Series Designator:					
Unf 2nd end					
Shelf Life:					
N/a					

NSN 4720-00-019-0243

Nonmetallic Hose Assembly - Page 2 of 2



		• •			
ш	ın	10	<i>(</i>)+	Measure:	

--

Demilitarization:

No

Fiig:

A542a0