# NSN 4720-00-021-3240

Metallic Hose Assembly - Page 1 of 2



Metallic 1103c 7133cmbry 1 ago 1 of 2	
View Online at https://aerobasegroup.com/nsn/4720-00-021-3240	
Cross Sectional Shape:	
Round	
Thread Class:	
2b 1st end	
Thread Direction:	
Right-hand 1st end	
Inside Diameter:	
0.250 inches	
Tempurature Rating:	
-300.0 degrees fahrenheit and 1000.0 degrees fahrenheit single response	
Outside Diameter:	
0.439 inches	
Minimum Inside Bending Radius:	
6.250 inches	
Inner Conveying Tube Style:	
Annular open-pitch corrugated	
Exterior Color:	
Natural	
Connection Style:	
Swivel nut flare 1st end	
End Connection Design:	
Straight 1st end	
Connection Type:	
Threaded internal tube 1st end	
Features Provided:	
Identical ends	
Burst Test Pressure:	
9800.0 pounds per square inch	
Layer Composition And Location:	
Outer layer braided corrosion resistant steel wire	
Maximum Operating Pressure:	

2450.0 pounds per square inch

#### Thread Size:

0.438 inches 1st end

#### Seat Angle:

37.0 degrees 1st end

## **Hydrostatic Test Pressure:**

4900.0 pounds per square inch

## **Outer Covering Environmental Protection:**

Corrosion resistant

## **Measuring Method And Length:**

10.250 inches working

# NSN 4720-00-021-3240

Metallic Hose Assembly - Page 2 of 2



Thread	<b>Series</b>	Design	nator:
	0000	-00.9.	

Unf 1st end

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A542a0