NSN 4720-00-022-1659

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-022-1659

Cross Sectional Shape:					
Round					
Thread Class:					
3b 1st end					
Thread Direction:					
Right-hand 1st end					
Inside Diameter:					
0.313 inches					
Tempurature Rating:					
-40.0 degrees fahrenheit and 200.0 degrees fahrenheit single response					
Outside Diameter:					
0.546 inches					
Minimum Inside Bending Radius:					
3.000 inches					
Exterior Color:					
Black					
Quick Disconnect Size:					
0.250 inches 2nd end					
Connection Style:					
Swivel nut flare 1st end					
End Connection Design:					
Straight 2nd end					
Connection Type:					
Threaded internal tube 1st end					
Thready Qty Per Inch (tpi):					
18 1st end					
Burst Test Pressure:					
1600.0 pounds per square inch					
Layer Composition And Location:					
Outer layer molded rubber, synthetic and 1st layer braided rayon cord					
Maximum Operating Pressure:					
400.0 pounds per square inch					
Thread Size:					
0.562 inches 1st end					
Seat Angle:					
37.0 degrees 1st end					
Inside Surface Condition:					
Smooth					
Measuring Method And Length:					
17.000 inches					

Media For Which Designed:
Air and fuel/oil, hydrocarbon single response

NSN 4720-00-022-1659

Nonmetallic Hose Assembly - Page 2 of 2



Ιh	roa	a,	Sariae	I IDEIN	ınator:

Unf 1st end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A542a0