

View Online at <https://aerobasegroup.com/nsn/4720-00-033-1895>

**Cross Sectional Shape:**

Round

**Inside Diameter:**

1.250 inches

**Temperature Rating:**

-40.0 degrees fahrenheit and 200.0 degrees fahrenheit single response

**Flange Thickness:**

0.250 inches 1st end

**Outside Diameter:**

2.000 inches

**Recess Diameter:**

1.312 inches 1st end

**Recess Depth:**

0.250 inches 1st end

**Minimum Inside Bending Radius:**

18.000 inches

**Angle Between Rigid Elbow Fittings In Deg:**

0.0

**Flange Outside Diameter:**

2.000 inches 1st end

**Connection Style:**

Recessed w/gasket groove 1st end

**End Flange Construction:**

Solid 1st end

**End Connection Design:**

Elbow 1st end

**Connection Type:**

Recessed flange 1st end

**Burst Test Pressure:**

12000.0 pounds per square inch

**Layer Composition And Location:**

1st layer braided textile yarn and 2nd layer spirally laid steel wire and 3rd layer spirally laid steel wire and 4th layer spirally laid steel wire and 5th layer spirally laid steel wire and outer layer molded rubber, synthetic

**Maximum Operating Pressure:**

3000.0 pounds per square inch

**Flow Angle:**

90.0 degrees 1st end

**Inside Surface Condition:**

Smooth

**Measuring Method And Length:**

63.000 inches working

**Flange Style:**

Round w/ out bolt holes 1st end

**Media For Which Designed:**

Fuel/oil, hydrocarbon single response

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A542a0