

View Online at <https://aerobasegroup.com/nsn/4720-00-033-1895>

Cross Sectional Shape:

Round

Inside Diameter:

1.250 inches

Temperature Rating:

-40.0 degrees fahrenheit and 200.0 degrees fahrenheit single response

Flange Thickness:

0.250 inches 1st end

Outside Diameter:

2.000 inches

Recess Diameter:

1.312 inches 1st end

Recess Depth:

0.250 inches 1st end

Minimum Inside Bending Radius:

18.000 inches

Angle Between Rigid Elbow Fittings In Deg:

0.0

Flange Outside Diameter:

2.000 inches 1st end

Connection Style:

Recessed w/gasket groove 1st end

End Flange Construction:

Solid 1st end

End Connection Design:

Elbow 1st end

Connection Type:

Recessed flange 1st end

Burst Test Pressure:

12000.0 pounds per square inch

Layer Composition And Location:

1st layer braided textile yarn and 2nd layer spirally laid steel wire and 3rd layer spirally laid steel wire and 4th layer spirally laid steel wire and 5th layer spirally laid steel wire and outer layer molded rubber, synthetic

Maximum Operating Pressure:

3000.0 pounds per square inch

Flow Angle:

90.0 degrees 1st end

Inside Surface Condition:

Smooth

Measuring Method And Length:

63.000 inches working

Flange Style:

Round w/ out bolt holes 1st end

Media For Which Designed:

Fuel/oil, hydrocarbon single response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0