Nonmetallic Hose Assembly - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4720-00-039-9145

Cross Sectional Shape:	
Round	
Thread Direction:	
Right-hand 2nd end	
Inside Diameter:	
0.250 inches	
Tempurature Rating:	
-65.0 degrees fahrenheit and 250.0 degrees fahrenheit single response	
Outside Diameter:	
0.625 inches	
Minimum Inside Bending Radius:	
4.000 inches	
End Connection Design:	
Straight 2nd end	
Thready Qty Per Inch (tpi):	
14 2nd end	
Burst Test Pressure:	
9000.0 pounds per square inch	
Layer Composition And Location:	
Outer layer molded rubber, chloroprene and 1st layer braided steel wire	
Maximum Operating Pressure:	
2250.0 pounds per square inch	
Thread Size:	
0.500 inches 2nd end	
Hydrostatic Test Pressure:	
4500.0 pounds per square inch	
Inside Surface Condition:	
Smooth	
Measuring Method And Length:	
16.500 inches	
Media For Which Designed:	
Hydraulic fluid single response	
Thread Series Designator:	
Nptf 2nd end	
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	
No	
Fiig:	
A542a0	