NSN 4720-00-041-2517



Nonmetallic Hose Assembly - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4720-00-041-2517 **Cross Sectional Shape:** Round **Thread Class:** 2b 1st end **Thread Direction:** Right-hand 1st end **Inside Diameter:** 0.406 inches **Tempurature Rating:** -20.0 degrees fahrenheit and 250.0 degrees fahrenheit single response **Outside Diameter:** 0.760 inches **Minimum Inside Bending Radius:** 4.625 inches **Connection Style:** Swivel nut flare 1st end **End Connection Design:** Straight 1st end **Connection Type:** Threaded internal tube 1st end **Burst Test Pressure:** 2000.0 pounds per square inch **Layer Composition And Location:** Outer layer braided fabric and 1st layer braided fabric **Maximum Operating Pressure:** 500.0 pounds per square inch **Thread Size:** 0.750 inches 1st end Seat Angle: 37.0 degrees 1st end **Outer Covering Environmental Protection:** Oil resistant and weatherproof **Inside Surface Condition:** Smooth **Measuring Method And Length:** 132.000 inches Media For Which Designed: Fuel/oil, hydrocarbon single response

Thread Series Designator: Unf 1st end

Shelf Life:

N/a

NSN 4720-00-041-2517

Nonmetallic Hose Assembly - Page 2 of 2



| ш | ın | 10 | <i>(</i>)+ | Measure: | |
|---|----|----|-------------|----------|--|
| | | | | | |

--

Demilitarization:

No

Fiig:

A542a0