NSN 4720-00-054-1028

Cross Sectional Shape:

Round

Smooth

Thread Class: 3b 1st end

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-054-1028

Thread Direction:			
Right-hand 1st end			
Inside Diameter:			
0.406 inches			
Tempurature Rating:			
-65.0 degrees fahrenheit single response and 450.0 degrees fahrenheit single response			
Outside Diameter:			
0.562 inches			
Exterior Color:			
Natural			
Angle Between Rigid Elbow Fittings In Deg:			
240.0			
Connection Style:			
Swivel nut flare 1st end			
End Connection Design:			
Elbow 1st end			
Connection Type:			
Threaded internal tube 1st end			
Burst Test Pressure:			
8000.0 pounds per square inch			
Layer Composition And Location:			
Outer layer braided corrosion resistant steel wire			
Maximum Operating Pressure:			
1500.0 pounds per square inch			
Thread Size:			
0.750 inches 1st end			
Seat Angle:			
37.0 degrees 1st end			
Hydrostatic Test Pressure:			
3000.0 pounds per square inch			
Flow Angle:			
90.0 degrees 1st end			
Outer Covering Environmental Protection:			
Corrosion resistant			
Vacuum In Torr:			
50.8			
Inside Surface Condition:			

NSN 4720-00-054-1028

Nonmetallic Hose Assembly - Page 2 of 2



۷	leasuring	Method And	l enath:

14.750 inches working

Thread Series Designator:

Unf 1st end

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A542a0