NSN 4720-00-055-5985

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-055-5985

Cross Sectional Shape:					
Round					
Thread Class:					
2b 1st end					
Thread Direction:					
Right-hand 1st end					
Inside Diameter:					
0.406 inches					
Tempurature Rating:					
-40.0 degrees fahrenheit and 300.0 degrees fahrenheit single response					
Outside Diameter:					
0.713 inches					
Connection Style:					
Swivel nut flare 1st end					
End Connection Design:					
Straight 1st end					
Connection Type:					
Threaded internal tube 1st end					
Thready Qty Per Inch (tpi):					
16 1st end					
Burst Test Pressure:					
4000.0 pounds per square inch					
Layer Composition And Location:					
Outer layer molded rubber and 1st layer braided steel wire					
Maximum Operating Pressure:					
1000.0 pounds per square inch					
Thread Size:					
0.750 inches 1st end					
Seat Angle:					
30.0 degrees 1st end					
Hydrostatic Test Pressure:					
2000.0 pounds per square inch					
Inside Surface Condition:					
Smooth					
Measuring Method And Length:					
9.625 inches working					
Media For Which Designed:					
Fuel/oil, hydrocarbon single response					
Thread Series Designator:					
Unf 1st end					
Shelf Life:					
N/a					

NSN 4720-00-055-5985

Nonmetallic Hose Assembly - Page 2 of 2



	ι	Jn	it	Of	Measure:
--	---	----	----	----	----------

--

Demilitarization:

No

Fiig:

A542a0

Mil-std (military Standard):

Mil-dtl-13444 spec.