## NSN 4720-00-056-9582

Metallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-056-9582

Cross Sectional Shape: Round Thread Class: 3b 1st end Thread Direction: Right-hand 1st end Inside Diameter: 0.380 inches Tempurature Rating:
Thread Class: 3b 1st end Thread Direction: Right-hand 1st end Inside Diameter: 0.380 inches Tempurature Rating:
3b 1st end Thread Direction: Right-hand 1st end Inside Diameter: 0.380 inches Tempurature Rating:
Thread Direction: Right-hand 1st end Inside Diameter: 0.380 inches Tempurature Rating:
Right-hand 1st end Inside Diameter: 0.380 inches Tempurature Rating:
Inside Diameter: 0.380 inches Tempurature Rating:
0.380 inches Tempurature Rating:
Tempurature Rating:
-65.0 degrees celsius and 1100.0 degrees celsius single response
Outside Diameter:
0.760 inches
Minimum Inside Bending Radius:
4.000 inches
Inner Conveying Tube Style:
Annular open-pitch corrugated
Exterior Color:
Natural
Connection Style:
Swivel nut flare 2nd end
End Connection Design:
Straight 2nd end
Connection Type:
Threaded internal tube 1st end
Layer Composition And Location:
Outer layer braided corrosion resistant steel wire
Maximum Operating Pressure:
110.0 pounds per square inch
Thread Size:
0.750 inches 2nd end
Seat Angle:
37.0 degrees 2nd end
Hydrostatic Test Pressure:
500.0 pounds per square inch
Flow Angle:
90.0 degrees 1st end
Outer Covering Environmental Protection:
Abrasion resistant
Measuring Method And Length:
29.500 inches working
Thread Series Designator:
Unf 2nd end

## NSN 4720-00-056-9582

Metallic Hose Assembly - Page 2 of 2

**Fsc Application Data:** 

Power plant assembly, aircraft

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A542a0

