NSN 4720-00-057-6890

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-057-6890 **Cross Sectional Shape:** Round **Thread Class:** 2b 1st end **Thread Direction:** Right-hand 1st end **Inside Diameter:** 0.500 inches **Tempurature Rating:** -40.0 degrees fahrenheit and 200.0 degrees fahrenheit single response **Outside Diameter:** 0.781 inches **Minimum Inside Bending Radius:** 3.500 inches **Connection Style:** Swivel nut flare 2nd end **End Connection Design:** Straight 2nd end **Connection Type:** Threaded internal tube 1st end **Burst Test Pressure:** 850.0 pounds per square inch **Layer Composition And Location:** Outer layer molded rubber, chloroprene and 1st layer braided fiber **Maximum Operating Pressure:** 200.0 pounds per square inch **Thread Size:** 0.875 inches 2nd end Seat Angle: 45.0 degrees 2nd end **Inside Surface Condition:** Smooth **Measuring Method And Length:** 114.000 inches **Thread Series Designator:** Unf 2nd end Shelf Life: N/a **Unit Of Measure:**

Demilitarization:No

NSN 4720-00-057-6890

Nonmetallic Hose Assembly - Page 2 of 2



Fiig:

A542a0