NSN 4720-00-058-9398

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-058-9398		
Cross Sectional Shape:		
Round		
Thread Class:		
3b 1st end		
Thread Direction:		
Right-hand 1st end		
Inside Diameter:		
0.212 inches		
Tempurature Rating:		
-67.0 degrees fahrenheit single response and 400.0 degrees fahrenheit single response		
Outside Diameter:		
0.410 inches		
Minimum Inside Bending Radius:		
1.500 inches		
Exterior Color:		
Natural or silver		
Connection Style:		
Swivel nut, flareless 1st end		
End Connection Design:		
Straight 1st end		
Connection Type:		
Threaded internal tube 1st end		
Features Provided:		
Electrostatic discharge capability		
Burst Test Pressure:		
16000.0 pounds per square inch		
Layer Composition And Location:		
Outer layer braided corrosion resistant steel wire		
Maximum Operating Pressure:		
3000.0 pounds per square inch		
Thread Size:		
0.438 inches 1st end		
Seat Angle:		
12.0 degrees 1st end		
Hydrostatic Test Pressure:		

6000.0 pounds per square inch

Outer Covering Environmental Protection:

Corrosion resistant

Inside Surface Condition:

Smooth

Measuring Method And Length:

26.000 inches and 26.375 inches

NSN 4720-00-058-9398

Nonmetallic Hose Assembly - Page 2 of 2



Thread	Series	Design	nator:
	0000	_00.9.	

Unjf 1st end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0