# NSN 4720-00-062-7227

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-062-7227
Cross Sectional Shape:
Round
Thread Class:
3b 1st end
Thread Direction:
Right-hand 1st end
Inside Diameter:
0.406 inches
Tempurature Rating:
-100.0 degrees fahrenheit single response and 450.0 degrees fahrenheit single response
Outside Diameter:
0.562 inches
Minimum Inside Bending Radius:
4.625 inches
Connection Style:
Swivel nut flare 1st end
End Connection Design:
Straight 1st end
Connection Type:
Threaded internal tube 1st end
Features Provided:
Electrostatic discharge capability
Burst Test Pressure:
8000.0 pounds per square inch
Layer Composition And Location:
Outer layer braided corrosion resistant steel wire
Maximum Operating Pressure:
1500.0 pounds per square inch
Thread Size:

0.750 inches 1st end

Seat Angle:

37.0 degrees 1st end

## **Hydrostatic Test Pressure:**

3000.0 pounds per square inch

## **Outer Covering Environmental Protection:**

Abrasion resistant and corrosion resistant

**Inside Surface Condition:** 

Smooth

# **Measuring Method And Length:**

72.000 inches working

## **Thread Series Designator:**

Unjf 1st end

# NSN 4720-00-062-7227

Nonmetallic Hose Assembly - Page 2 of 2



_					
•	n	<b>0</b> 1	•	12	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A542a0