NSN 4720-00-063-5469

Cross Sectional Shape:

Round

Thread Class: 3b 1st end

Thread Direction:

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-063-5469

Right-hand 1st end
Inside Diameter:
0.312 inches
Tempurature Rating:
-65.0 degrees fahrenheit single response and 450.0 degrees fahrenheit single response
Outside Diameter:
0.438 inches
Exterior Color:
Natural
Angle Between Rigid Elbow Fittings In Deg:
80.0
End Connection Design:
Elbow 2nd end
Connection Type:
Threaded internal tube 1st end
Features Provided:
Electrostatic discharge capability
Thready Qty Per Inch (tpi):
18 1st end
Burst Test Pressure:
9000.0 pounds per square inch
Layer Composition And Location:
Outer layer braided corrosion resistant steel wire
Maximum Operating Pressure:
1500.0 pounds per square inch
Thread Size:
0.562 inches 1st end
Seat Angle:
37.0 degrees 2nd end
Hydrostatic Test Pressure:
3000.0 pounds per square inch
Flow Angle:
90.0 degrees 2nd end
Outer Covering Environmental Protection:
Abrasion resistant
Vacuum In Torr:
50.8

NSN 4720-00-063-5469Nonmetallic Hose Assembly - Page 2 of 2



nside Surface Condition:
Smooth
Special Features:
Hose covered w/chafing guard
Media For Which Designed:
Air single response and alcohol, ethyl single response and alcohol, methyl single response and fuel/oil, hydrocarbon single response and
water, fresh single response and water, salt single response
Thread Series Designator:
Unf 1st end
Specification Or Standard:
1 class
Shelf Life:
N/a
Unit Of Measure:
-
Demilitarization:
No
Filg:
A542a0
Mil-std (military Standard):
Mil-h-25579 spec.