Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-064-2650

	onal Shape:
Round	
Thread Clas	SS:
3b 1st end	
Thread Dire	ction:
Right-hand 1	lst end
Inside Diam	eter:
0.406 inches	6
Tempuratur	e Rating:
-65.0 degree	es fahrenheit single response and 450.0 degrees fahrenheit single response
Outside Dia	meter:
0.562 inches	5
Connection	Style:
Swivel nut fla	are 2nd end
End Conne	ction Design:
Straight 1st	end
Connection	Туре:
Threaded in	ternal tube 1st end
Features Pr	ovided:
Electrostatic	discharge capability
Burst Test I	Pressure:
8000.0 poun	ds per square inch
Layer Comp	oosition And Location:
Outer layer b	praided corrosion resistant steel wire
Maximum C	perating Pressure:
1000.0 poun	ds per square inch
Thread Size	:
0.750 inches	s 1st end
Seat Angle:	
37.0 degree	s 2nd end
Flow Angle	
45.0 degree	s 2nd end
Inside Surfa	ace Condition:
Smooth	
Measuring	Method And Length:
16.250 inche	es working
Thread Seri	es Designator:
Unf 1st end	
Shelf Life:	
N/a	
Unit Of Mea	sure:

NSN 4720-00-064-2650

Nonmetallic Hose Assembly - Page 2 of 2

Demilitarization:

No

Fiig:

A542a0

