

View Online at <https://aerobasegroup.com/nsn/4720-00-064-7568>

**Cross Sectional Shape:**

Round

**Thread Direction:**

Right-hand 1st end

**Inside Diameter:**

1.000 inches

**Outside Diameter:**

1.500 inches

**Minimum Inside Bending Radius:**

6.000 inches

**Hose Or Tubing Specification/std Data:**

Zz-h-561, grade a, type 2, class 1 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Connection Style:**

Plain 1st end

**End Connection Design:**

Straight 1st end

**End Fitting Component And Material:**

Complete fitting steel all ends

**Fitting Component And Surface Treatment:**

Complete fitting zinc 1st end

**Connection Type:**

Threaded external pipe 1st end

**Second End Relationship With First End:**

Identical

**First End Swivel Action Capability:**

Not included

**Layer Composition And Location:**

2nd layer helix wire coil

**Thread Size:**

1.000 inches 1st end

**Hydrostatic Test Pressure:**

100.0 pounds per square inch

**Outer Covering Environmental Protection:**

Oil resistant and ozone resistant and weatherproof

**Vacuum In Torr:**

254.0

**Inside Surface Condition:**

Smooth

**Measuring Method And Length:**

180.000 inches excluding end fittings

**Special Features:**

Inner conveying tube material-rubber, synthetic; furnished with two internal threaded swivel joints and one strainer

**Media For Which Designed:**

Water, salt single response

**Thread Series Designator:**

Npt 1st end

**Specification Data:**

Zz-h-561, grade a, type 2, class 1 professional/industrial association specification

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A542a0