NSN 4720-00-064-7802



Nonmetallic Hose Assembly - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4720-00-064-7802 **Cross Sectional Shape:** Round **Thread Class:** 2a 1st end **Thread Direction:** Right-hand 1st end **Inside Diameter:** 0.375 inches **Tempurature Rating:** -40.0 degrees fahrenheit and 200.0 degrees fahrenheit single response **Outside Diameter:** Between 0.750 inches and 0.812 inches **Minimum Inside Bending Radius:** 5.000 inches **Connection Style:** Flared 1st end **End Connection Design:** Straight 1st end **Connection Type:** Threaded external tube 1st end Thready Qty Per Inch (tpi): 18 1st end **Burst Test Pressure:** 9000.0 pounds per square inch **Layer Composition And Location:** Outer layer molded rubber, chloroprene and 1st layer braided steel wire **Maximum Operating Pressure:** 2250.0 pounds per square inch **Thread Size:** 0.750 inches 1st end Seat Angle: 37.0 degrees 1st end **Hydrostatic Test Pressure:** 4500.0 pounds per square inch **Outer Covering Environmental Protection:**

Oil resistant and weatherproof **Inside Surface Condition:** Smooth **Measuring Method And Length:** 30.000 inches working **Thread Series Designator:**

Uns 1st end

NSN 4720-00-064-7802

Nonmetallic Hose Assembly - Page 2 of 2



_			•		
•	n	ο.	•	18	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0