## NSN 4720-00-070-0377

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-070-0377 **Cross Sectional Shape:** Round **Thread Class:** 2b 1st end **Thread Direction:** Right-hand 1st end **Inside Diameter:** 0.880 inches **Tempurature Rating:** -40.0 degrees fahrenheit and 250.0 degrees fahrenheit single response **Outside Diameter:** 1.230 inches **Minimum Inside Bending Radius:** 7.380 inches **Exterior Color:** Black **Connection Style:** Swivel nut flare 2nd end **End Connection Design:** Straight 1st end **Connection Type:** Threaded internal tube 1st end **Features Provided:** Reusable end fittings Thready Qty Per Inch (tpi): 12 2nd end **Burst Test Pressure:** 3200.0 pounds per square inch **Layer Composition And Location:** 2nd layer braided wire and outer layer rubber impregnated braided cotton cord and 1st layer braided textile yarn **Maximum Operating Pressure:** 800.0 pounds per square inch **Thread Size:** 1.312 inches 2nd end Seat Angle: 37.0 degrees 2nd end **Hydrostatic Test Pressure:** 1600.0 pounds per square inch Flow Angle: 90.0 degrees 2nd end

Smooth

**Inside Surface Condition:** 

## NSN 4720-00-070-0377

Nonmetallic Hose Assembly - Page 2 of 2



Measuring Method And Length:
78.000 inches
Media For Which Designed:
Fuel/oil, hydrocarbon single response
Thread Series Designator:
Un 2nd end
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

**Fiig:** A542a0