NSN 4720-00-077-0967



Nonmetallic Hose Assembly - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4720-00-077-0967 **Cross Sectional Shape:** Round **Thread Class:** 3b 1st end **Thread Direction:** Right-hand 1st end **Inside Diameter:** 0.250 inches **Tempurature Rating:** -65.0 degrees fahrenheit and 225.0 degrees fahrenheit single response **Outside Diameter:** 0.530 inches **Minimum Inside Bending Radius:** 3.250 inches **Exterior Color:** Black Angle Between Rigid Elbow Fittings In Deg: 0.0 **Connection Style:** Swivel nut flare 2nd end **End Connection Design:** Elbow 2nd end **Connection Type:** Threaded internal tube 1st end **Burst Test Pressure:** 6500.0 pounds per square inch **Layer Composition And Location:** Outer layer braided polyester cord and 1st layer braided polyester cord **Maximum Operating Pressure:** 1600.0 pounds per square inch **Thread Size:** 0.438 inches 1st end Seat Angle: 37.0 degrees 2nd end Flow Angle: 90.0 degrees 2nd end **Inside Surface Condition: Measuring Method And Length:**

Smooth

17.000 inches working

Thread Series Designator:

Unf 2nd end

NSN 4720-00-077-0967

Nonmetallic Hose Assembly - Page 2 of 2



_					
c	hο	JIF.		.ife:	
J			_	.II C.	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0