Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-077-0988

view Online at i	https://aerobasegroup.com/nsn/4720-00-077-0988
Cross Sectiona	al Shape:
Round	
Thread Class:	
3b 1st end	
Thread Direction	on:
Right-hand 1st	end
Inside Diamete	er:
0.188 inches	
Tempurature R	tating:
-40.0 degrees fa	ahrenheit and 250.0 degrees fahrenheit single response
Outside Diame	eter:
0.530 inches	
Connection St	yle:
Swivel nut flare	1st end
End Connectio	on Design:
Straight 1st end	I
Connection Ty	pe:
Threaded intern	al tube 1st end
Burst Test Pres	ssure:
4000.0 pounds	per square inch
Layer Compos	ition And Location:
2nd layer braide	ed steel wire and outer layer molded rubber, synthetic and 1st layer braided textile yarn
Maximum Ope	rating Pressure:
1000.0 pounds	per square inch
Thread Size:	
0.438 inches 1s	at end
Seat Angle:	
37.0 degrees 1s	st end
Hydrostatic Te	est Pressure:
2000.0 pounds	per square inch
Vacuum In Tor	r:
25.4	
Inside Surface	Condition:
Smooth	
Measuring Met	thod And Length:
10.250 inches	working
Media For Whi	-
	carbon single response
Thread Series	
Unf 1st end	
Shelf Life:	
N/a	

Nonmetallic Hose Assembly - Page 2 of 2



Unit Of Measure:

---

Demilitarization:

No

Fiig:

A542a0