NSN 4720-00-079-7957

Cross Sectional Shape:

Round

Thread Class: 3b 1st end

Thread Direction:

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-079-7957

Right-hand 1st end						
Inside Diameter:						
Between 0.312 inches and 0.344 inches						
Tempurature Rating:						
-40.0 degrees fahrenheit single response and 300.0 degrees fahrenheit single response						
Outside Diameter:						
Between 0.547 inches and 0.562 inches						
Minimum Inside Bending Radius:						
2.500 inches						
Exterior Color:						
Silver or natural						
Connection Style:						
Swivel nut flare 1st end						
End Connection Design:						
Straight 1st end						
Connection Type:						
Threaded internal tube 1st end						
Burst Test Pressure:						
6000.0 pounds per square inch						
Layer Composition And Location:						
Outer layer braided corrosion resistant steel wire						
Maximum Operating Pressure:						
1200.0 pounds per square inch						
Thread Size:						
0.562 inches 1st end						
Seat Angle:						
37.0 degrees 1st end						
Hydrostatic Test Pressure:						
3000.0 pounds per square inch						
Outer Covering Environmental Protection:						
Corrosion resistant						
Inside Surface Condition:						
Smooth						
Measuring Method And Length:						
15.938 inches and 16.469 inches						
Thread Series Designator:						
Unjf 1st end						

NSN 4720-00-079-7957

Nonmetallic Hose Assembly - Page 2 of 2



_	_			_	
С.		ficatio	^-	C+	
•	neci	ticatio	n cor	Stanc	ıarn:

6 size

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A542a0