

View Online at <https://aerobasegroup.com/nsn/4720-00-081-5062>

Cross Sectional Shape:

Round

Thread Class:

2b 1st end

Thread Direction:

Right-hand 1st end

Inside Diameter:

0.625 inches

Temperature Rating:

-65.0 degrees fahrenheit and 250.0 degrees fahrenheit single response

Outside Diameter:

Between 0.937 inches and 1.000 inches

Hose Or Tubing Specification/std Data:

Mil mil-h-13444, type 1 or 2, size 5/8 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Connection Style:

Swivel nut with compression sleeve 1st end

End Connection Design:

Straight 1st end

Fitting Component And Surface Treatment:

Complete fitting cadmium 1st end

Connection Type:

Threaded internal tube 1st end

Thready Qty Per Inch (tpi):

16 1st end

Second End Relationship With First End:

Identical

Burst Test Pressure:

700.0 pounds per square inch

First End Swivel Action Capability:

Not included

Layer Composition And Location:

Outer layer molded rubber, chloroprene

First End Fitting/component And Material:

Err-070

Maximum Operating Pressure:

175.0 pounds per square inch

Thread Size:

0.938 inches 1st end

Seat Angle:

12.0 degrees 1st end

Hydrostatic Test Pressure:

350.0 pounds per square inch

Outer Covering Environmental Protection:

Abrasion resistant and fuel resistant and light resistant and oil resistant and weatherproof

Vacuum In Torr:

508.0

Inside Surface Condition:

Smooth

Measuring Method And Length:

11.250 inches

Special Features:

Inner conveying tube material-rubber, synthetic; nipple, steel, fed standard 66, aisi mt1010 to mtx 1020 cqgh1besleeve, steel federal standard 66, aisi c1113, c1117, c1118 or c1137

Media For Which Designed:

Fuel/oil, hydrocarbon single response

Thread Series Designator:

Un 1st end

Specification Data:

Mil mil-h-13444, type 1 or 2, size 5/8 professional/industrial association specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A542a0