NSN 4720-00-086-0388

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-086-0388

view Online at https://aerobasegroup.com/nish/4720-000-0000
Cross Sectional Shape:
Round
Thread Class:
Bb 1st end
Thread Direction:
Right-hand 1st end
nside Diameter:
0.344 inches
Outside Diameter:
0.766 inches
Connection Style:
Swivel nut flare 2nd end
End Connection Design:
Straight 1st end
Connection Type:
Threaded internal hose 2nd end
Гhready Qty Per Inch (tpi):
18 1st end
Burst Test Pressure:
14000.0 pounds per square inch
_ayer Composition And Location:
1st layer rubber impregnated braided fabric and 2nd layer rubber impregnated braided fabric and 3rd layer molded rubber and 4th layer
spirally laid steel wire and outer layer molded rubber
Maximum Operating Pressure:
3000.0 pounds per square inch
Γhread Size:
0.562 inches 1st end
Hydrostatic Test Pressure:
7000.0 pounds per square inch
Flow Angle:
90.0 degrees 2nd end
nside Surface Condition:
Smooth
Measuring Method And Length:
14.250 inches working
Media For Which Designed:
Hydraulic fluid single response
Γhread Series Designator:
Jnf 1st end
Shelf Life:
N/a

--

Unit Of Measure:

NSN 4720-00-086-0388

Nonmetallic Hose Assembly - Page 2 of 2



Demilitarization:

No

Fiig:

A542a0