NSN 4720-00-088-4492

Cross Sectional Shape:

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-088-4492

Round
Inside Diameter:
6.000 inches
Bolt Circle Diameter:
9.500 inches 1st end
Flange Thickness:
1.000 inches 1st end
Outside Diameter:
6.688 inches
Bolt Hole Quantity:
8 1st end
Flange Outside Diameter:
11.000 inches 1st end
Connection Style:
Plain 1st end
Bolt Hole Diameter:
0.812 inches 1st end
End Flange Construction:
Solid 1st end
End Connection Design:
Straight 1st end
Connection Type:
Plain face flange 1st end
Burst Test Pressure:
400.0 pounds per square inch
Layer Composition And Location:
Outer layer molded rubber and 1st layer rubber impregnated braided cotton cord
Maximum Operating Pressure:
125.0 pounds per square inch
Hydrostatic Test Pressure:
175.0 pounds per square inch
Outer Covering Environmental Protection:
Fuel resistant and mildew resistant and oil resistant
Inside Surface Condition:
Smooth
Measuring Method And Length:
600.000 inches
Flange Style:
Round w/ bolt holes 1st end
Special Features:

End fittings are fabricated of 150 pound class forged steel, slip-on welding type flanges and barbed steel nipples, ms27021 for barbed shank

dimensions and secured with double wrap 3/4 inch stainless steel band type clamps with buckles

NSN 4720-00-088-4492

Nonmetallic Hose Assembly - Page 2 of 2



_				_	
c.	200	itic	atin	nП	ata:
OI	ソセレ		auv	11 0	aıa.

81349-mil-h-26521 government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0