Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-103-5623

Cross Sectional Shape	
Round	
Thread Direction:	
Right-hand 1st end	
Inside Diameter:	
0.375 inches	
Tempurature Rating:	
-40.0 degrees fahrenheit	and 200.0 degrees fahrenheit single response
Outside Diameter:	
0.750 inches	
Minimum Inside Bendir	ig Radius:
5.000 inches	
Exterior Color:	
Black	
Connection Style:	
Inverted flare 1st end	
End Connection Design	
Straight 1st end	
Connection Type:	
Threaded external pipe 1	st end
Features Provided:	
Electrostatic discharge c	apability and reusable end fittings
Burst Test Pressure:	
90000.0 pounds per squa	are inch
Layer Composition And	I Location:
2nd layer rubber impregr	ated braided steel wire and outer layer molded rubber, synthetic and 1st layer rubber impregnated braided fabric
Maximum Operating Pr	essure:
2250.0 pounds per squar	e inch
Thread Size:	
0.375 inches 1st end	
Seat Angle:	
30.0 degrees 1st end	
Hydrostatic Test Press	ıre:
4500.0 pounds per squar	e inch
Inside Surface Condition	n:
Smooth	
Measuring Method And	Length:
84.750 inches	
Media For Which Desig	ned:
Fuel/oil, hydrocarbon sir	gle response
Thread Series Designat	or:
Npt 1st end	

NSN 4720-00-103-5623

Nonmetallic Hose Assembly - Page 2 of 2

AeroBase Group

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0