NSN 4720-00-106-5576

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-106-5576

view Online at https://aerobasegroup.com/hish/4/20-00-100-33/0
Cross Sectional Shape:
Round
Thread Direction:
Right-hand 1st end
Inside Diameter:
0.250 inches
Tempurature Rating:
-40.0 degrees fahrenheit and 200.0 degrees fahrenheit single response
Outside Diameter:
Between 0.594 inches and 0.656 inches
Minimum Inside Bending Radius:
1.500 inches
Exterior Color:
Black
Hose Or Tubing Specification/std Data:
Sae j1402, type b standard (includes industry or association standards, individual manufactureer standards, etc.).
Connection Style:
Plain 2nd end
End Connection Design:
Straight 2nd end
End Fitting Component And Material:
Complete fitting steel 2nd end
Connection Type:
Threaded external pipe 2nd end
Second End Relationship With First End:
Not identical
Burst Test Pressure:
900.0 pounds per square inch
First End Swivel Action Capability:
Not included
Layer Composition And Location:
Outer layer molded rubber, chloroprene
Maximum Operating Pressure:
200.0 pounds per square inch
Thread Size:
0.500 inches 2nd end
Seat Angle:
30.0 degrees 1st end
Hydrostatic Test Pressure:
450.0 pounds per square inch
Inside Surface Condition:

Smooth

NSN 4720-00-106-5576

Nonmetallic Hose Assembly - Page 2 of 2



Measuring Method And Length:
14.750 inches
Second End Swivel Action Capability:
Not included
Special Features:
Inner conveying tube material-rubber, synthetic
Media For Which Designed:
Air single response
Thread Series Designator:
Nptf 1st end
Specification Data:
Sae j1402, type b national std/spec
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A542a0