Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-106-5576

<b>Cross Sectional S</b>	iape:
Round	
Thread Direction:	
Right-hand 1st end	
Inside Diameter:	
0.250 inches	
Tempurature Ratin	g:
-40.0 degrees fahre	nheit and 200.0 degrees fahrenheit single response
Outside Diameter:	
Between 0.594 inch	es and 0.656 inches
Minimum Inside B	ending Radius:
1.500 inches	
Exterior Color:	
Black	
Hose Or Tubing S	ecification/std Data:
Sae j1402, type b s	andard (includes industry or association standards, individual manufactureer standards, etc.).
Connection Style:	
Plain 2nd end	
End Connection D	əsign:
Straight 2nd end	
End Fitting Comp	nent And Material:
Complete fitting ste	al 2nd end
Connection Type:	
Threaded external	ipe 2nd end
Second End Relat	onship With First End:
Not identical	
Burst Test Pressu	e:
900.0 pounds per s	juare inch
First End Swivel A	ction Capability:
Not included	
Layer Compositio	And Location:
Outer layer molded	rubber, chloroprene
Maximum Operati	g Pressure:
200.0 pounds per s	juare inch
Thread Size:	
0.500 inches 2nd e	d
Seat Angle:	
30.0 degrees 1st er	d
Hydrostatic Test F	ressure:
450.0 pounds per s	juare inch
Inside Surface Co	dition:
Smooth	

Nonmetallic Hose Assembly - Page 2 of 2



Measuring Method And Length: 14.750 inches Second End Swivel Action Capability: Not included **Special Features:** Inner conveying tube material-rubber, synthetic Media For Which Designed: Air single response **Thread Series Designator:** Nptf 1st end **Specification Data:** Sae j1402, type b national std/spec Shelf Life: N/a Unit Of Measure: **Demilitarization:** No Fiig: A542a0

---