NSN 4720-00-106-7412

Cross Sectional Shape:

Unf 1st end

Metallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-106-7412

Round
Thread Class:
2b 1st end
Thread Direction:
Right-hand 1st end
Inside Diameter:
0.342 inches
Tempurature Rating:
-450.0 degrees fahrenheit and 1200.0 degrees fahrenheit single response
Outside Diameter:
0.603 inches
Minimum Inside Bending Radius:
3.750 inches
Inner Conveying Tube Style:
Annular open-pitch corrugated
Connection Style:
Swivel nut flare 1st end
End Connection Design:
Straight 1st end
Connection Type:
Threaded internal tube 1st end
Features Provided:
Identical ends
Burst Test Pressure:
7600.0 pounds per square inch
Layer Composition And Location:
Outer layer braided corrosion resistant steel wire
Maximum Operating Pressure:
1250.0 pounds per square inch
Thread Size:
0.562 inches 1st end
Seat Angle:
37.0 degrees 1st end
Hydrostatic Test Pressure:
2500.0 pounds per square inch
Outer Covering Environmental Protection:
Corrosion resistant
Measuring Method And Length:
15.250 inches
Thread Series Designator:

NSN 4720-00-106-7412

Metallic Hose Assembly - Page 2 of 2



_					
c	hο	JIF.		.ife:	
J			_	.II C.	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0