

View Online at <https://aerobasegroup.com/nsn/4720-00-113-8691>

Cross Sectional Shape:

Round

Inside Diameter:

Between 0.998 inches and 0.999 inches

Bolt Circle Diameter:

0.430 inches 2nd end and 0.450 inches 2nd end

Flange Thickness:

0.110 inches 2nd end and 0.125 inches 2nd end

Outside Diameter:

1.060 inches

Inner Conveying Tube Style:

Helical close-pitch corrugated

Bolt Hole Quantity:

2 2nd end

Flange Length:

1.280 inches 2nd end

Flange Width:

0.418 inches 2nd end

Connection Style:

Swivel nut flare 1st end

Bolt Hole Diameter:

0.218 inches 2nd end and 0.225 inches 2nd end

End Flange Construction:

Solid 2nd end

End Connection Design:

Elbow 1st end

Connection Type:

Threaded internal tube 1st end

Burst Test Pressure:

180.0 pounds per square inch

Maximum Operating Pressure:

120.0 pounds per square inch

Flow Angle:

83.0 degrees 1st end

Measuring Method And Length:

3.254 inches working

Flange Style:

Oval 2nd end

Media For Which Designed:

Air single response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A542a0