Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-115-8993

Cross Sectional Shape:	
Round	
Thread Class:	
3b 1st end	
Thread Direction:	
Right-hand 1st end	
Inside Diameter:	
0.312 inches	
Tempurature Rating:	
-40.0 degrees fahrenheit and 2	00.0 degrees fahrenheit single response
Outside Diameter:	
0.656 inches	
Minimum Inside Bending Rac	lius:
4.500 inches	
Connection Style:	
Swivel nut flare 1st end	
End Connection Design:	
Straight 2nd end	
Connection Type:	
Threaded internal tube 1st end	
Burst Test Pressure:	
10000.0 pounds per square inc	h
Layer Composition And Loca	tion:
Outer layer molded rubber, syr	thetic and 1st layer braided wire
Maximum Operating Pressure:	
2500.0 pounds per square inch	
Thread Size:	
0.500 inches 1st end	
Seat Angle:	
45.0 degrees 1st end	
Outer Covering Environment	al Protection:
Oil resistant and weatherproof	
Inside Surface Condition:	
Smooth	
Measuring Method And Leng	th:
17.750 inches	
Media For Which Designed:	
Fuel/oil, hydrocarbon single re	sponse
Thread Series Designator:	
Unf 1st end	
Shelf Life:	
N/a	

Nonmetallic Hose Assembly - Page 2 of 2



Unit Of Measure:

Demilitarization:

No

Fiig:

A542a0