

View Online at <https://aerobasegroup.com/nsn/4720-00-118-5121>

Cross Sectional Shape:

Round

Thread Class:

2a 1st end

Thread Direction:

Right-hand 1st end

Inside Diameter:

Between 0.189 inches and 0.193 inches

Temperature Rating:

-65.0 degrees fahrenheit and 200.0 degrees fahrenheit single response

Outside Diameter:

Between 0.469 inches and 0.500 inches

Minimum Inside Bending Radius:

3.500 inches

Exterior Color:

Black

Hose Or Tubing Specification/std Data:

Sae j1401 standard (includes industry or association standards, individual manufactureer standards, etc.).

Connection Style:

Swivel nut, inverted flare 1st end

End Connection Design:

Straight 1st end

End Fitting Component And Material:

Complete fitting steel 1st end

Fitting Component And Surface Treatment:

Complete fitting cadmium 1st end

Connection Type:

Threaded external tube 1st end

Thready Qty Per Inch (tpi):

24 1st end

Second End Relationship With First End:

Not identical

Burst Test Pressure:

4500.0 pounds per square inch

First End Swivel Action Capability:

Not included

Layer Composition And Location:

Outer layer molded rubber

Maximum Operating Pressure:

3000.0 pounds per square inch

Thread Size:

0.438 inches 1st end

Seat Angle:

45.0 degrees 1st end

Outer Covering Environmental Protection:

Weatherproof

Inside Surface Condition:

Smooth

Measuring Method And Length:

51.890 inches

Special Features:

Inner conveying tube material-rubber; banjo connection 0.600 in. Id

Media For Which Designed:

Brake fluid, nonmineral oil single response

Thread Series Designator:

Uns 1st end

Specification Data:

Sae j1401 national std/spec

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0