## NSN 4720-00-123-0178

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-123-0178 **Cross Sectional Shape:** Round **Thread Class:** 2b 1st end **Inside Diameter:** 0.880 inches **Outside Diameter:** 1.230 inches **Minimum Inside Bending Radius:** 7.380 inches Angle Between Rigid Elbow Fittings In Deg: 0.0 **Connection Style:** Swivel nut flare 1st end **End Fitting Component And Material:** Complete fitting steel all ends **Connection Type:** Threaded internal tube 1st end Thready Qty Per Inch (tpi): 12 1st end **Burst Test Pressure:** 3200.0 pounds per square inch **Maximum Operating Pressure:** 800.0 pounds per square inch Seat Angle: 37.00 degrees 1st end **Hydrostatic Test Pressure:** 1600.0 pounds per square inch Vacuum In Torr: 254.0 **Inside Surface Condition: Measuring Method And Length:** 111.500 inches **Special Features:** Inner conveying tube material-rubber, synthetic Media For Which Designed: Fuel/oil, hydrocarbon single response **Thread Series Designator:** Un 1st end Shelf Life:

N/a

## NSN 4720-00-123-0178

Nonmetallic Hose Assembly - Page 2 of 2



ш	ın	10	<i>(</i> )+	Measure:	

--

Demilitarization:

No

Fiig:

A542a0