Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-126-2160

View Online at h	ttps://aerobasegroup.com/nsn/4720-00-126-2160
Cross Sectional	I Shape:
Round	
Thread Class:	
3b 1st end	
Thread Directio	n:
Right-hand 1st e	nd
Inside Diameter	:
0.406 inches	
Tempurature Ra	ating:
-67.0 degrees fal	hrenheit single response and 275.0 degrees fahrenheit single response
Outside Diamet	er:
0.562 inches	
Minimum Inside	Bending Radius:
4.625 inches	
Exterior Color:	
Natural	
Connection Sty	le:
Swivel nut flare 2	2nd end
End Connection	າ Design:
Straight 1st end	
Connection Typ	be:
Threaded interna	al tube 1st end
Features Provid	led:
Electrostatic disc	charge capability
Burst Test Pres	sure:
8000.0 pounds p	er square inch
Layer Composit	tion And Location:
Outer layer braid	led corrosion resistant steel wire
Maximum Opera	ating Pressure:
1500.0 pounds p	er square inch
Thread Size:	
0.750 inches 2nd	d end
Seat Angle:	
37.0 degrees 2nd	d end
Hydrostatic Tes	
3000.0 pounds p	
Flow Angle:	•
45.0 degrees 2nd	d end
-	Environmental Protection:
Corrosion resista	
Vacuum In Torr	
50.8	-

Nonmetallic Hose Assembly - Page 2 of 2



Inside Surface Condition:

Smooth

Measuring Method And Length:

7.625 inches working

Media For Which Designed:

Air single response and alcohol, ethyl single response and fuel/oil, hydrocarbon single response and water, fresh single response

Thread Series Designator:

Unjf 1st end

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A542a0