

View Online at <https://aerobasegroup.com/nsn/4720-00-134-1066>

**Cross Sectional Shape:**

Round

**Wall Thickness:**

0.282 inches

**Tempurature Rating:**

-65.0 degrees fahrenheit and 160.0 degrees fahrenheit

**Endlength:**

0.875 inches first end

**Connection Style:**

Round second end

**Connection Type:**

Preformed second end

**Thready Qty Per Inch (tpi):**

20 second end

**Thread Size:**

0.437 inches second end

**Coupling Style:**

External quick-disconnect first end

**Coupling Locking Device Quantity:**

1 first end

**Special Features:**

Ozone resistance: ozone resistant; end similarity: not identical; inside diameter: 0.219 in. Min., 0.281 in. Max.; length: 11.500 in. Min., 12.000 in. Max.; hose style: fully convoluted w/wire rings between convolutions, style no. 3 from old fig a22900; hose material: silicon and corrosion resistant steel wire, qq-w-423 form 1, comp 302, cond. B and fiber polyamide

**Material:**

Aluminum alloy 1st end coupling

**Surface Treatment:**

Anodize 2nd end coupling

**Thread Series Designator:**

Unef second end

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A229a0