Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-135-0619

Cross Sectional Shape:	
Round	
Thread Class:	
3b 1st end	
Thread Direction:	
Right-hand 1st end	
Inside Diameter:	
Between 0.422 inches and	0.462 inches
Outside Diameter:	
Between 0.781 inches and	0.843 inches
Connection Style:	
Swivel nut flare 1st end	
End Connection Design	
Straight 1st end	
Connection Type:	
Threaded internal tube 1s	end
Layer Composition And	_ocation:
2nd layer spirally laid corr	sion resistant steel wire and outer layer braided corrosion resistant steel wire and 1st layer braided corrosion
resistant steel wire	
Thread Size:	
0.750 inches 1st end	
Seat Angle:	
37.0 degrees 1st end	
Hydrostatic Test Pressu	e:
3000.0 pounds per square	inch
Outer Covering Environ	nental Protection:
Corrosion resistant	
Criticality Code Justifica	tion:
Zzzy	
Inside Surface Condition	:
Smooth	
Measuring Method And	ength:
23.750 inches working ar	d 24.250 inches working
Thread Series Designate	r:
Unf 1st end	
Reference Number Diffe	entiating Characteristics:
Quality control iaw navshi	s 0948-045-7010 material identification and control instruction for level 1 items
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	
No	

NSN 4720-00-135-0619

Nonmetallic Hose Assembly - Page 2 of 2

Fiig: A542a0

