## NSN 4720-00-141-8720

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-141-8720

Cross Sectional Shape:
Round
Thread Direction:
Right-hand 1st end
Inside Diameter:
0.188 inches
Tempurature Rating:
-40.0 degrees fahrenheit and 200.0 degrees fahrenheit single response
Outside Diameter:
0.500 inches
Minimum Inside Bending Radius:
2.000 inches
Exterior Color:
Maroon
Connection Style:
Plain 1st end
End Connection Design:
Straight 1st end
Connection Type:
Threaded external pipe 1st end
Burst Test Pressure:
19200.0 pounds per square inch
Layer Composition And Location:
1st layer braided fabric and 2nd layer spiral interlocked corrosion resistant steel with packing and 3rd layer braided steel wire and outer
layer molded rubber
Maximum Operating Pressure:
4800.0 pounds per square inch
Thread Size:
0.125 inches 1st end
Hydrostatic Test Pressure:
9600.0 pounds per square inch
Outer Covering Environmental Protection:
Oil resistant and fuel resistant
Inside Surface Condition:
Smooth
Measuring Method And Length:
12.000 inches
Special Features:
W/one hydraulic coupler
Media For Which Designed:
Grease single response

Npt 1st end

**Thread Series Designator:** 

## NSN 4720-00-141-8720

Nonmetallic Hose Assembly - Page 2 of 2



_					
CI	~~	14	I i	ife:	
J.	16			HE.	

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A542a0