

View Online at <https://aerobasegroup.com/nsn/4720-00-144-5047>

Cross Sectional Shape:

Round

Inside Diameter:

0.750 inches

Temperature Rating:

-65.0 degrees fahrenheit and 200.0 degrees fahrenheit single response

Bolt Circle Diameter:

2.500 inches 1st end

Flange Thickness:

0.625 inches 1st end

Outside Diameter:

1.094 inches

Exterior Color:

Black

Angle Between Rigid Elbow Fittings In Deg:

0.0

Bolt Hole Quantity:

2 1st end

Flange Outside Diameter:

1.750 inches 2nd end

Flange Length:

3.250 inches 1st end

Flange Width:

2.125 inches 1st end

Connection Style:

Raised swivel w/ gasket groove 1st end

Bolt Hole Diameter:

0.375 inches 1st end

Raised Face Height:

0.031 inches 1st end

Raised Face Diameter:

1.750 inches 1st end

End Flange Construction:

Solid 2nd end

End Connection Design:

Elbow 2nd end

Connection Type:

Plain face flange 2nd end

Burst Test Pressure:

5000.0 pounds per square inch

Layer Composition And Location:

Outer layer molded rubber, synthetic and 1st layer braided synthetic cord

Maximum Operating Pressure:

1250.0 pounds per square inch

Hydrostatic Test Pressure:

2500.0 pounds per square inch

Flow Angle:

60.0 degrees 1st end

Inside Surface Condition:

Smooth

Measuring Method And Length:

32.000 inches

Flange Style:

Round w/ out bolt holes 2nd end

Media For Which Designed:

Fuel/oil, hydrocarbon single response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A542a0