## NSN 4720-00-148-4953

**Cross Sectional Shape:** 

Thread Direction: Right-hand 1st end Inside Diameter:

Round

N/a

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-148-4953

0.312 inches
Tempurature Rating:
-65.0 degrees fahrenheit single response and 400.0 degrees fahrenheit single response
Outside Diameter:
0.450 inches
Minimum Inside Bending Radius:
2.000 inches
Exterior Color:
Gold
Connection Style:
Inverted flare 1st end
End Connection Design:
Straight 1st end
Connection Type:
Threaded external pipe 1st end
Burst Test Pressure:
2300.0 pounds per square inch
Layer Composition And Location:
Outer layer braided copper wire
Maximum Operating Pressure:
500.0 pounds per square inch
Thread Size:
0.375 inches 1st end
Seat Angle:
30.0 degrees 1st end
Hydrostatic Test Pressure:
1000.0 pounds per square inch
Inside Surface Condition:
Smooth
Measuring Method And Length:
24.750 inches
Special Features:
Furnished w/one adapter steel material
Thread Series Designator:
Nptf 1st end
Shelf Life:

## NSN 4720-00-148-4953

Nonmetallic Hose Assembly - Page 2 of 2



			ure:	

--

Demilitarization:

No

Fiig:

A542a0