NSN 4720-00-150-6130

Cross Sectional Shape:

Round

Thread Class: 2b 1st end

Thread Direction:
Right-hand 1st end
Inside Diameter:

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-150-6130

0.625 inches					
Outside Diameter:					
1.075 inches					
Minimum Inside Bending Radius:					
9.000 inches					
Exterior Color:					
Natural					
Connection Style:					
Swivel nut, compression 2nd end					
End Connection Design:					
Straight 1st end					
Connection Type:					
Threaded internal tube 1st end					
Thready Qty Per Inch (tpi):					
12 2nd end					
Burst Test Pressure:					
16000.0 pounds per square inch					
Layer Composition And Location:					
Outer layer braided corrosion resistant steel wire					
Maximum Operating Pressure:					
4000.0 pounds per square inch					
Thread Size:					
1.062 inches 2nd end					
Hydrostatic Test Pressure:					
8000.0 pounds per square inch					
Flow Angle:					
45.0 degrees 2nd end					
Inside Surface Condition:					
Smooth					
Measuring Method And Length:					
23.500 inches working					
Seat Radius:					
0.062 inches 2nd end					
Thread Series Designator:					
Un 2nd end					

NSN 4720-00-150-6130

Nonmetallic Hose Assembly - Page 2 of 2



_				
c	hο	JIF.		ife:
J			_	HG.

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0