NSN 4720-00-153-7701

Cross Sectional Shape:

Thread Direction:

Round

N/a

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-153-7701

Right-hand 1st end						
Inside Diameter:						
1.000 inches						
Tempurature Rating:						
-40.0 degrees fahrenheit and 200.0 degrees fahrenheit single response						
Outside Diameter:						
1.500 inches						
Minimum Inside Bending Radius:						
8.000 inches						
Connection Style:						
Plain 1st end						
End Connection Design:						
Straight 1st end						
Connection Type:						
Threaded external pipe 1st end						
Features Provided:						
Nonskive						
Burst Test Pressure:						
2250.0 pounds per square inch						
Layer Composition And Location:						
2nd layer braided fabric and outer layer molded rubber, synthetic and 1st layer braided fabric						
Maximum Operating Pressure:						
565.0 pounds per square inch						
Thread Size:						
1.000 inches 1st end						
Hydrostatic Test Pressure:						
1125.0 pounds per square inch						
Outer Covering Environmental Protection:						
Oil resistant and weatherproof						
Inside Surface Condition:						
Smooth						
Measuring Method And Length:						
17.000 inches						
Media For Which Designed:						
Fuel/oil, hydrocarbon single response						
Thread Series Designator:						
Nptf 1st end						
Shelf Life:						

NSN 4720-00-153-7701

Nonmetallic Hose Assembly - Page 2 of 2



	• •				
In	18	<i>(</i>)+	МЛО	201	ure:

--

Demilitarization:

No

Fiig:

A542a0