Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-163-3082

Cross Sectional Shape:
Round
Thread Class:
3b 1st end
Thread Direction:
Right-hand 1st end
Inside Diameter:
0.895 inches
Tempurature Rating:
-65.0 degrees fahrenheit single response and 400.0 degrees fahrenheit single response
Flange Thickness:
0.312 inches 2nd end
Outside Diameter:
1.156 inches
Minimum Inside Bending Radius:
7.380 inches
Center To Center Distance Between Bolt Holes Along Width:
1.313 inches 2nd end
Center To Center Distance Between Bolt Holes Along Length:
1.313 inches 2nd end
Bolt Hole Quantity:
4 2nd end
Flange Length:
1.750 inches 2nd end
Flange Width:
1.750 inches 2nd end
Connection Style:
Swivel nut flare 1st end
Bolt Hole Diameter:
0.188 inches 2nd end
End Flange Construction:
Solid 2nd end
End Connection Design:
Straight 1st end
Connection Type:
Threaded internal tube 1st end
Features Provided:
Reusable end fittings
Thready Qty Per Inch (tpi):
12 1st end
Layer Composition And Location:

Outer layer braided corrosion resistant steel wire



Maximum Operating Pressure:

150.0 pounds per square inch

#### Thread Size:

1.313 inches 1st end

## Seat Angle:

37.0 degrees 1st end

### Flow Angle:

45.0 degrees 2nd end

## Inside Surface Condition:

Smooth

# Measuring Method And Length:

11.500 inches working

## Flange Style:

Rectangular (includes square) 2nd end

### Thread Series Designator:

Un 1st end

Shelf Life:

N/a

## Unit Of Measure:

Demilitarization:

No

---

Fiig:

A542a0