## NSN 4720-00-164-2862



Nonmetallic Hose Assembly - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4720-00-164-2862 **Cross Sectional Shape:** Round **Thread Class:** 2a 1st end **Thread Direction:** Right-hand 1st end **Inside Diameter:** 0.188 inches **Tempurature Rating:** -40.0 degrees fahrenheit and 200.0 degrees fahrenheit single response **Outside Diameter:** 0.375 inches **Minimum Inside Bending Radius:** 2.000 inches **Connection Style:** Plain 2nd end **End Connection Design:** Straight 2nd end **Connection Type:** Threaded external tube 1st end **Burst Test Pressure:** 2000.0 pounds per square inch **Layer Composition And Location:** Outer layer molded rubber, synthetic and 1st layer braided fiber **Maximum Operating Pressure:** 500.0 pounds per square inch **Thread Size:** 0.375 inches 1st end **Outer Covering Environmental Protection:** Fuel resistant and oil resistant and mildew resistant and ozone resistant Vacuum In Torr: 254.0 **Inside Surface Condition:** Smooth **Measuring Method And Length:** 24.000 inches Media For Which Designed: Fuel/oil, hydrocarbon single response **Thread Series Designator:** Unf 1st end

Shelf Life:

N/a

## NSN 4720-00-164-2862

Nonmetallic Hose Assembly - Page 2 of 2



ш	ın	10	<i>(</i> )+	Measure:	

--

Demilitarization:

No

Fiig:

A542a0