NSN 4720-00-179-9779

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-179-9779

Cross Sectional Shape:
Round
Thread Class:
3b 1st end
Thread Direction:
Right-hand 1st end
Inside Diameter:
0.250 inches
Tempurature Rating:
-65.0 degrees fahrenheit and 275.0 degrees fahrenheit single response
Outside Diameter:
0.450 inches
Minimum Inside Bending Radius:
0.500 inches
Exterior Color:
Green
End Application:
An/alq-119
Connection Style:
Swivel nut, flareless 2nd end
End Connection Design:
Straight 1st end
Connection Type:
Threaded internal tube 1st end
Features Provided:
Electrostatic discharge capability
Burst Test Pressure:
1000.0 pounds per square inch
Layer Composition And Location:
Outer layer spirally wrapped polyamide fabric and 1st layer spirally wrapped polytetrafluoroethylene impregnated glass fiber
Maximum Operating Pressure:
250.0 pounds per square inch
Thread Size:
0.438 inches 1st end
Seat Angle:
37.0 degrees 1st end
Hydrostatic Test Pressure:
500.0 pounds per square inch
Flore Annales
Flow Angle:

Convoluted

Inside Surface Condition:

NSN 4720-00-179-9779

Nonmetallic Hose Assembly - Page 2 of 2



Measuring Method And Length

22.000 inches working

Thread Series Designator:

Unjf 1st end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0