NSN 4720-00-184-8264

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-184-8264

Cross Sectional Shape:					
Round					
Thread Direction:					
Right-hand 1st end Inside Diameter:					
0.750 inches					
Tempurature Rating:					
-40.0 degrees celsius and 200.0 degrees celsius single response					
Outside Diameter:					
1.250 inches					
Minimum Inside Bending Radius:					
9.500 inches					
Exterior Color:					
Natural					
Connection Style:					
Plain 1st end					
End Connection Design:					
Straight 1st end					
Connection Type:					
Threaded external pipe 1st end					
Burst Test Pressure:					
9000.0 pounds per square inch					
Layer Composition And Location:					
Outer layer braided steel wire and 1st layer braided steel wire					
Maximum Operating Pressure:					
2250.0 pounds per square inch					
Thread Size:					
0.750 inches 1st end					
Seat Angle:					
30.0 degrees 1st end					
Hydrostatic Test Pressure:					
4500.0 pounds per square inch					
Outer Covering Environmental Protection:					
Abrasion resistant and oil resistant and weatherproof					
Inside Surface Condition:					
Smooth					
Measuring Method And Length:					
45.000 inches					
Media For Which Designed:					
Hydraulic fluid, phosphate-ester base and hydraulic fluid, silicate-ester base and fuel/oil, hydrocarbon single response					
Thread Series Designator:					
Npt 1st end					

NSN 4720-00-184-8264

Nonmetallic Hose Assembly - Page 2 of 2



_				
c	hο	JIF.		ife:
J	116		_	HG.

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0